JOURNAL OF THE

AUDIO ENGINEERING SOCIETY

SUBJECT AND AUTHOR INDEX
VOLUME 28 — 1980 NUMBERS 1-12

SUBJECT INDEX

ACOUSTICS

Those Early Late Arrivals! Mr. Haas, What Would You Do? (Eng. Rep.) —Cecil Cable and R. Curtis Enerson, 28:1/2, p. 40

The Practical Application of Time-Delay Spectrometry in the Field —Cecil R. Cable and John K. Hilliard, 28:5, p. 302

Acoustical Communication Theory (Comm.) —H. Mayr, 28:5, p. 331

Comments on "Acoustical Communication Theory" (Comm.) —James V. White, 28:5, p. 336

Author's Reply to Comments on "Acoustical Communication Theory" (Comm.) —H. Mayr, 28:5, p. 339

Comments on "Airborne Noise: A Personal Calculator Program for A-Weighted Sound-Pressure Level, Noise-Rating Evaluation, and Preferred Noise Criterion" (Lett.) —Josef Schöenbrun, 28:5, p. 341

Correction to "Comments on: Airborne Noise: A Personal Calculator Program for A-Weighted Sound-Pressure Level, Noise-Rating Evaluation, and Preferred Noise Criterion" (Lett.) —J. Schöenbrun, 28:9, p. 613

Ambiophony: Has Its Time Finally Arrived? (Eng. Rep.) —Herbert T. Chaudiere, 28:7/8, p. 500

Absorption of Sound by Air: A Personal Calculator Program (Per. Cal. Prog.) —Benjamin Bernfeld, 28:7/8, p. 521

An LEDE™ Concept for the Control of Acoustic and Psychoacoustic Parameters in Recording Control Rooms —Don Davis and Chips Davis, 28:9, p. 585

Sound Reinforcement Systems in Early Danish Churches —Dan Popescu, 28:10, p. 713

Auditory Backward Inhibition in Concert Halls (Eng. Rep.) —Jens Blauert and G. Tüttemann, 28:10, p. 718

Comments on "Acoustical Impulse Response of Interior Spaces" (Lett.) —Don Davis, 28:11, p. 817

Authors' Reply to Comments on "Acoustical Impulse Response of Interior Spaces" (Lett.) —Richard H. Lyon and Richard G. Cann, 28:11, p. 817

AES

Minutes of the Meeting of the Digital Audio Technical Committee, 1979 November 4 (Tech. Comm. Rep.) — Bart Locanthi, 28:4, p. 259

AES: Your Professional Society and How It Works for You (Feature) —Peter K. Burkowitz, 28:4, p. 276

Audio Engineering Society Bylaws —28:4, p. 297

65th Convention Report —28:5, p. 352

66th Convention Report —28:7/8, p. 528

AES Annual Report —28:7/8, p. 568

Minutes of the Meeting of the Digital Audio Technical Committee, 1980 May 4 (Tech. Comm. Rep.) — Bart Locanthi, 28:9, p. 615

Review of Society's Sustaining Members —28:10, p. 734

President's Message (Pres. Mess.) — Ray Dolby, 28:12, p. 858

67th Convention Report — 28:12, p. 912

AMPLIFIERS AND PREAMPLIFIERS

Feedforward Error Correction in Power Amplifiers — John Vanderkooy and Stanley P. Lipshitz, 28:1/2, p. 2

JE-990 Discrete Operational Amplifier (Eng. Rep.) — Deane Jensen, 28:1/2, p. 26

Psychoacoustic Detection Threshold of Transient Intermodulation Distortion —M. Petri-Larmi, M. Otala, and J. Lammasniemi, 28:3, p. 98

Ultra-Low-Noise Preamplifier for Moving-Coil Phono Cartridges —Ernst H. Nordholt and Ronald M. van Vierzen, 28:4, p. 219

Amplifier–Loudspeaker Interfacing —R. A. Greiner, 28:5, p. 310

Phonograph Preamplifier Design Criteria: An Update (Eng. Rep.) —Tomlinson Holman, 28:5, p. 325

Correction to "Loudness Compensation: Use and Abuse" (Lett.) —Tomlinson Holman and Frank Kampmann, 28:5, p. 341

On Intermodulation and Harmonic Distortion in Single-Amplifier Active Filters —Andrzej Borys, 28:10, p. 706

AUDIO INDUSTRY

History of Women in Audio (Feature) —Pam Peterson, 28:11, p. 832

Recreational Noise Exposure —An Occupational Hazard for Audio Engineers (Comm.) —Daniel R. Raichel, 28:12, p. 896

BROADCASTING

Compatible Stereophonic Broadcasting Systems for Spatial Reproduction (Eng. Rep.) —J. J. Geluk, 28:3, p. 136

Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.) —Michael Nemo, 28:3, p. 150

Author's Reply to Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.) —Carson C. Taylor, 28:3, p. 150

Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.) —Cornelius H. van der Gragt, 28:5, p. 340

Author's Reply to Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.) —Carson C. Taylor, 28:5, p. 340

PCM Program Transmission and Communication Network for the Norwegian Broadcasting Corporation (Eng. Rep.) —Richard Andersen and Knut Rønning, 28:4, p. 225

CIRCUITS

JE-990 Discrete Operational Amplifier (Eng. Rep.) —Deane Jensen, 28:1/2, p. 26

Dynamic-Range Limitations of Optical Couplers (Eng. Rep.) —W. Sansen, P. De Wit, and J. Geldhof, 28:5, p. 320

Correction to "Loudness Compensation: Use and Abuse" (Lett.) —Tomlinson Holman and Frank Kampmann, 28:5, p. 341

Using Distortion Products to Effect Automatic Frequency Control in FM Tuners —Henry Akiya, Susumu Matsuoka, and Michinori Naito, 28:6, p. 422

All-Pass Crossover Systems —Peter Garde, 28:9, p. 575

Time Offset and Crossover Design (Eng. Rep.) —Dennis G. Fink, 28:9, p. 601

On Intermodulation and Harmonic Distortion in Single-Amplifier Active Filters —Andrzej Borys, 28:10, p. 706

CCD Delay Lines in Audio (Eng. Rep.) —Johan A. Catrysse, Gilbert Declerck, and Christine C. De Meyer, 28:11, p. 800

A Low-Distortion Acoustic-Measurement Oscillator Using Semiconductor Junctions as Variable-Tuning Elements (Eng. Rep.) — Peter J. Baxandall, 28:12, p. 874

DIGITAL

A General-Purpose Digital Synthesizer —Peter R. Samson, 28:3, p. 106

PCM Program Transmission and Communication Network for the Norwegian Broadcasting Corporation (Eng. Rep.) —Richard Andersen and Knut Rønning, 28:4, p. 225

Minutes of the Meeting of the Digital Audio Technical Committee, 1979 November 4 (Tech. Comm. Rep.) — Bart Locanthi, 28:4, p. 259

Consumer Use PCM Encoder-Decoder 1979-6 (Tech. Comm. Rep.) —28:4, p. 260

International Electrotechnical Commission Technical Committee 60: Recording Subcommittee 60A: Sound Recording (Tech. Comm. Rep.) — 28:4, p. 265

Questionnaire Prior to Digital Audio Standardization (Tech. Comm. Rep.) —Björn Blüthgen, 28:4, p. 267

A New PCM Audio Disk Pickup Employing a Laser Diode (Eng. Rep.) —K. Okada, T. Kubo, W. Susaki, and T. Sato, 28:6, p. 429

The MD (Minidisk) System: A Contribution to the Digital Audio Disk Standard (Eng. Rep.) —Klaus Welland and Horst Redlich, 28:7/8, p. 510

Digital-to-Analog Converter (Comm.) —Yasuhiro Mitsuhashi, 28:7/8, p. 515

Digital Audio Disk Standardization Conference, 1980 February (Tech. Comm. Rep.) — 28:7/8, p. 525

Comments on "Human Stress Provoked by Digitalized Recordings" (Lett.) —Nelson Morgan, 28:9, p. 613

Correction to "A Real-Time Digital Processor for Disk Mastering Lathe Control" (Lett.) —F. Hirsch and S. F. Temmer, 28:9, p. 614

Minutes of the Meeting of the Digital Audio Technical Committee, 1980 May 4 (Tech. Comm. Rep.) — Bart Locanthi, 28:9, p. 615

On the Sampling Rate for Digital Audio Recorders (Tech. Comm. Rep.) —Toshi T. Doi, 28:9, p. 616

Professional Stationary-Head Recorder Questionnaire

on User Requirements (Tech. Comm. Rep.) —Björn Blüthgen, 28:9, p. 618

Answers to Questionnaire on Professional Stationary-Head Recording User Requirements (Tech. Comm. Rep.) —Toshi T. Doi, 28:9, p. 620

Answers to Questionnaire on Professional Stationary-Head Recording User Requirements (Tech. Comm. Rep.) —Roger Lagadec, 28:9, p. 622

Answers to Questionnaire on Professional Stationary-Head Recording User Requirements (Tech. Comm. Rep.) —Tetsuya Yamaguchi, 28:9, p. 624

Answers to Questionnaire on Professional Stationary-Head Recording User Requirements (Tech. Comm. Rep.) —Tatsuo Yamamoto, 28:9, p. 626

DISK RECORDING AND REPRODUCTION

Ultra-Low-Noise Preamplifier for Moving-Coil Phono Cartridges —Ernst H. Nordholt and Ronald M. van Vierzen, 28:4, p. 219

Distribution of the Phonograph Signal Rate of Change (Eng. Rep.) —Jorma Lammasniemi and Kari Nieminen, 28:5, p. 316

Phonograph Preamplifier Design Criteria: An Update (Eng. Rep.) —Tomlinson Holman, 28:5, p. 325

A New PCM Audio Disk Pickup Employing a Laser Diode (Eng. Rep.) —K. Okada, T. Kubo, W. Susaki, and T. Sato, 28:6, p. 429

The MD (Minidisk) System: A Contribution to the Digital Audio Disk Standard (Eng. Rep.) —Klaus Welland and Horst Redlich, 28:7/8, p. 510

Correction to "A Real-Time Digital Processor for Disk Mastering Lathe Control" (Lett.) —F. Hirsch and S. F. Temmer, 28:9, p. 614

Measurement of Spectral Content of Record Warps —D. L. Taylor, 28:12, p. 859

DISTORTION

Psychoacoustic Detection Threshold of Transient Intermodulation Distortion —M. Petri-Larmi, M. Otala, and J. Lammasniemi, 28:3, p. 98

ELECTRONIC MUSIC

A General-Purpose Digital Synthesizer —Peter R. Samson, 28:3, p. 106

Calculator Program for Musical Notes (Per. Cal. Prog.) —J. M. Bowsher, 28:6, p. 437

Comments on "Calculator Program for Musical Notes" (Lett.) —B. Bernfeld, 28:10, p. 726

Waveshape Parameter Modulation in Producing Complex Audio Spectra (Eng. Rep.) —Yasuhiro Mitsuhashi, 28:12, p. 879

HEADPHONES

Improved Real-Ear Tests for Stereophones —Jon R. Sank, 28:4, p. 206

HEARING

Recreational Noise Exposure —An Occupational Hazard for Audio Engineers (Comm.) —Daniel R. Raichel, 28:12, p. 896

LOUDSPEAKERS

The Dependence of Loudspeaker Design Parameters on the Properties of Magnetic Fluids —W. Bottenberg, L. Melillo, and K. Raj, 28:1/2, p. 17

Dipole Radiator Systems (Eng. Rep.) —R. J. Newman, 28:1/2, p. 35

Comments on "Dipole Radiator Systems" (Lett.) —William R. Hoffman, 28:9, p. 612

Author's Reply to Comments on "Dipole Radiator Systems" (Lett.) —Raymond J. Newman, 28:9, p. 612

More on "Loudspeaker Cabinet Reflection Effects" (Lett.) —James M. Kates, 28:3, p. 150

A New Piezoelectric Driver Enhances Horn Performance (Eng. Rep.) —Jonathan R. Bost, 28:4, p. 244

Shaped Tone-Burst Testing (Eng. Rep.) —Siegfried Linkwitz, 28:4, p. 250

Amplifier–Loudspeaker Interfacing—R. A. Greiner, 28:5, p. 310

An Acoustic Power Monitor for Loudspeaker Testing —L. A. Abbagnaro, B. B. Bauer, and E. L. Torick, 28:6, p. 402

Loudspeaker Driver Phase Response: The Neglected Factor in Crossover Network Design —W. Marshall Leach, Jr., 28:6, p. 410

Acoustic Radiation of a Horn Loudspeaker by the Finite Element Method —A Consideration of the Acoustic Characteristic of Horns —S. Morita, N. Kyono, S. Sakai, T. Yamabuchi, and Y. Kagawa, 28:7/8, p. 482

Effect of Voice-Coil and Surround on Vibration and Sound Pressure Response of Loudspeaker Cones —Takeo Shindo, Osamu Yashima, and Hideo Suzuki, 28:7/8, p. 490

On the Perception of Phase Distortion —H. Suzuki, S. Morita, and T. Shindo, 28:9, p. 570

All-Pass Crossover Systems —Peter Garde, 28:9, p. 575

Time Offset and Crossover Design (Eng. Rep.) —Dennis G. Fink, 28:9, p. 601

Three-Dimensional Diaphragm Suspensions for Compression Drivers (Eng. Rep.) —Fancher M. Murray and Howard M. Durbin, 28:10, p. 720

Dynamic Equalization for Loudspeakers —Daniel R. von Recklinghausen, 28:11, p. 770

Optimum Loudspeaker Directional Patterns —James M. Kates, 28:11, p. 787

New Developments in Electrostatic Loudspeakers (Eng. Rep.) —P. J. Walker, 28:11, p. 795

Low-Frequency Loudspeaker Measurements with an Accelerometer (Eng. Rep.) —Jason Christophorou, 28:11, p. 809

High-Fidelity Loudspeakers with Boronized Titanium Diaphragms —Takeo Yamamoto, Tsunehiro Tsukagoshi, Teruo Tohma, Masami Kimura, and Fujio Tanaka, 28:12, p. 868

Comments on "Acoustic Radiation of a Horn Loudspeaker by the Finite Element Method —A Consideration of the Acoustic Characteristic of Horns" (Lett.) — W. Marshall Leach, Jr., 28:12, p. 900

Author's Reply to Comments on "Acoustic Radiation of a Horn Loudspeaker by the Finite Element Method —A Consideration of the Acoustic Characteristic of Horns" (Lett.) — Shigeru Morita, 28:12, p. 900

MAGNETIC RECORDING AND REPRODUCTION

The Print-Through Phenomenon —H. Neal Bertram, Michael K. Stafford, and David R. Mills, 28:10, p. 690

MEASUREMENT AND INSTRUMENTATION

Which Bandwidth is Necessary for Optimal Sound Transmission? —G. Plenge, H. Jakubowski, and P. Schöne, 28:3, p. 114

Improved Real-Ear Tests for Stereophones —Jon R. Sank, 28:4, p. 206

Shaped Tone-Burst Testing (Eng. Rep.) —Siegfried Linkwitz, 28:4, p. 250

The Practical Application of Time-Delay Spectrometry in the Field —Cecil R. Cable and John K. Hilliard, 28:5, p. 302

An Acoustic Power Monitor for Loudspeaker Testing — L. A. Abbagnaro, B. B. Bauer, and E. L. Torick, 28:6, p. 402

On the Perception of Phase Distortion —H. Suzuki, S. Morita, and T. Shindo, 28:9, p. 570

Low-Frequency Loudspeaker Measurements with an Accelerometer (Eng. Rep.) —Jason Christophorou, 28:11, p. 809

A Low-Distortion Acoustic-Measurement Oscillator Using Semiconductor Junctions as Variable-Tuning Elements (Eng. Rep.) — Peter J. Baxandall, 28:12, p. 874

MICROPHONES

Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.) —Michael Nemo, 28:3, p. 150

Author's Reply to Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.) —Carson C. Taylor, 28:3, p. 150

Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.) —Cornelius H. van der Gragt, 28:5, p. 340

Author's Reply to Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.) —Carson C. Taylor, 28:5, p. 340

Miniature Microphone Using an Integrated Piezoresistive Pressure Transducer (Eng. Rep.) —Jon R. Sank, 28:6, p. 433

Correction to "Miniature Microphone Using an Integrated Piezoresistive Pressure Transducer" (Lett.) — Jon R. Sank, 28:9, p. 614

The Quest for Directional Microphones at RCA —Harry F. Olson, 28:11, p. 776

MULTICHANNEL

Compatible Stereophonic Broadcasting Systems for Spatial Reproduction (Eng. Rep.)—J. J. Geluk, 28:3, p. 136

Compatible Correcting-Matrix Quadraphonic Transmission System (Eng. Rep.) —G. Juhász and E. Piret, 28:9, p. 596

PERSONAL CALCULATOR PROGRAMS

Comments on "Airborne Noise: A Personal Calculator Program for A-Weighted Sound-Pressure Level, Noise-Rating Evaluation, and Preferred Noise Criterion" (Lett.) —Josef Schöenbrun, 28:5, p. 341

Correction to "Comments on: Airborne Noise: A Personal Calculator Program for A-Weighted Sound-Pressure Level, Noise-Rating Evaluation, and Preferred Noise Criterion" (Lett.) —J. Schöenbrun, 28:9, p. 613

Calculator Program for Musical Notes (Per. Cal. Prog.) —J. M. Bowsher, 28:6, p. 437

Comments on "Calculator Program for Musical Notes" (Lett.) —B. Bernfeld, 28:10, p. 726

Absorption of Sound by Air: A Personal Calculator Program (Per. Cal. Prog.) —Benjamin Bernfeld, 28:7/8, p. 521

PSYCHOACOUSTICS

Those Early Late Arrivals! Mr. Haas, What Would You Do? (Eng. Rep.) —Cecil Cable and R. Curtis Enerson, 28:1/2, p. 40

Psychoacoustic Detection Threshold of Transient Intermodulation Distortion —M. Petri-Larmi, M. Otala, and J. Lammasniemi, 28:3, p. 98

Which Bandwidth is Necessary for Optimal Sound Transmission? —G. Plenge, H. Jakubowski, and P. Schöne, 28:3, p. 114

New Audio Transformations in Acoustical Transduction Based on Optical Principles (Comm.) —George Philip Johnson, 28:3, p. 140

Acoustical Communication Theory (Comm.) —H. Mayr, 28:5, p. 331

Comments on "Acoustical Communication Theory" (Comm.) —James V. White, 28:5, p. 336

Author's Reply to Comments on "Acoustical Communication Theory" (Comm.) —H. Mayr, 28:5, p. 339

On the Perception of Phase Distortion —H. Suzuki, S. Morita, and T. Shindo, 28:9, p. 570

Comments on "Human Stress Provoked by Digitalized Recordings" (Lett.) —Nelson Morgan, 28:9, p. 613

RECORDING STUDIOS

The Shape of Recording Studios to Come (Eng. Rep.) —Michael Rettinger, 28:4, p. 237

An LEDE™ Concept for the Control of Acoustic and Psychoacoustic Parameters in Recording Control Rooms —Don Davis and Chips Davis, 28:9, p. 585

SIGNAL PROCESSING EQUIPMENT

A Fresh Approach to Audio Console Design (Eng. Rep.), —J. C. Brown, M. K. Armstrong, A. L. Treby, and D. L. Willis, 28:3, p. 120

All-Pass Crossover Systems —Peter Garde, 28:9, p. 575

CCD Delay Lines in Audio (Eng. Rep.) —Johan A. Catrysse, Gilbert Declerck, and Christine C. De Meyer, 28:11, p. 800

SOUND REINFORCEMENT

Those Early Late Arrivals! Mr. Haas, What Would You Do? (Eng. Rep.) —Cecil Cable and R. Curtis Enerson, 28:1/2, p. 40

The Practical Application of Time-Delay Spectrometry in the Field —Cecil R. Cable and John K. Hilliard, 28:5, p. 302

Ambiophony: Has Its Time Finally Arrived? (Eng. Rep.) —Herbert T. Chaudiere, 28:7/8, p. 500

Sound Reinforcement Systems in Early Danish Churches —Dan Popescu, 28:10, p. 713

Auditory Backward Inhibition in Concert Halls (Eng. Rep.) —Jens Blauert and G. Tüttemann, 28:10, p. 718

Comments on "Acoustical Impulse Response of Interior Spaces" (Lett.) —Don Davis, 28:11, p. 817

Authors' Reply to Comments on "Acoustical Impulse Response of Interior Spaces" (Lett.) —Richard H. Lyon and Richard G. Cann, 28:11, p. 817

STANDARDS

AES Standards News —28:4, p. 275

TUNERS

Using Distortion Products to Effect Automatic Frequency Control in FM Tuners —Henry Akiya, Susumu Matsuoka, and Michinori Naito, 28:6, p. 422

Reproducing the Infrasonic (Lett.) —David H. Blasetti, 28:10, p. 727

AUTHOR INDEX

Abbagnaro, L. A., B. B. Bauer, and E. L. Torick —An Acoustic Power Monitor for Loudspeaker Testing, 28:6, p. 402

Akiya, Henry, Susumu Matsuoka, and Michinori Naito —Using Distortion Products to Effect Automatic Frequency Control in FM Tuners, 28:6, p. 422

Andersen, Richard and Knut Rønning —PCM Program Transmission and Communication Network for the Norwegian Broadcasting Corporation (Eng. Rep.), 28:4, p. 225

Armstrong, M. K. —(see Brown, J. C.), 28:3, p. 120

Bauer, B. B. —(see Abbagnaro, L. A.), 28:6, p. 402

Baxandall, Peter J. —A Low-Distortion Acoustic-Measurement Oscillator Using Semiconductor Junctions as Variable-Tuning Elements (Eng. Rep.), 28:12, p. 874

Bernfeld, Benjamin —Absorption of Sound by Air: A Personal Calculator Program (Per. Cal. Prog.), 28:7/8, p. 521

——. Comments on "Calculator Program for Musical Notes" (Lett.), 28:10, p. 726

Bertram, H. Neal, Michael K. Stafford, and David R. Mills —The Print-Through Phenomenon, 28:10, p. 690

Blasetti, David H. —Reproducing the Infrasonic (Lett.), 28:10, p. 727

Blauert, Jens, and G. Tüttemann —Auditory Backward Inhibition in Concert Halls (Eng. Rep.), 28:10, p. 718

Blüthgen, Björn —Questionnaire Prior to Digital Audio Standardization (Tech. Comm. Rep.), 28:4, p. 265
——. Professional Stationary-Head Recorder Questionnaire on User Requirements (Tech. Comm. Rep.), 28:9, p. 618

Borys, Andrzej —On Intermodulation and Harmonic Distortion in Single-Amplifier Active Filters, 28:10, p. 706

Bost, Jonathan R. —A New Piezoelectric Driver Enhances Horn Performance (Eng. Rep.), 28:4, p. 244

Bottenberg, W., L. Melillo, and K. Raj —The Dependence of Loudspeaker Design Parameters on the Properties of Magnetic Fluids, 28:1/2, p. 17

Bowsher, J. M. —Calculator Program for Musical Notes (Per. Cal. Prog.), 28:6, p. 437

Brown, J. C., M. K. Armstrong, A. L. Treby, and D. L. Willis —A Fresh Approach to Audio Console Design (Eng. Rep.), 28:3, p. 120

Burkowitz, Peter K. —AES: Your Professional Society and How It Works for You (Feature), 28:4, p. 276

Cable, Cecil, and R. Curtis Enerson —Those Early Late Arrivals! Mr. Haas, What Would You Do? (Eng. Rep.), 28:1/2, p. 40
——and John K. Hilliard—The Practical Application of Time-Delay Spectrometry in the Field, 28:5, p. 302

Cann, Richard G. —(see Lyon, Richard H.), 28:11, p. 817

Catrysse, Johan A., Gilbert Declerck, and Christine C. De Meyer —CCD Delay Lines in Audio (Eng. Rep.), 28:11, p. 800

Chaudiere, Herbert T. —Ambiophony: Has Its Time Finally Arrived? (Eng. Rep.), 28:7/8, p. 500

Christophorou, Jason —Low-Frequency Loudspeaker Measurements with an Accelerometer (Eng. Rep.), 28:11, p. 809

Davis, Chips —(see Davis, Don), 28:9, p. 585

Davis, Don and Chips Davis —The LEDE™ Concept for the Control of Acoustic and Psychoacoustic Parameters in Recording Control Rooms, 28:9, p. 585
——. Comments on "Acoustical Impulse Response of Interior Spaces" (Lett.), 28:11, p. 817

Declerck, Gilbert —(see Catrysse, Johan A.), 28:11, p. 800

De Meyer, Christine C. —(see Catrysse, Johan A.), 28:11, p. 800

De Wit, P. —(see Sansen, W.), 28:5, p. 320

Doi, Toshi T. —On the Sampling Rate for Digital Audio Recorders (Tech. Comm. Rep.), 28:9, p. 616
——. Answers to Questionnaire on Professional Stationary-Head Recording User Requirements (Tech. Comm. Rep.), 28:9, p. 620

Dolby, Ray — President's Message (Pres. Mess.), 28:12, p. 858

Durbin, Howard M. —(see Murray, Fancher M.), 28:10, p. 720

Enerson, R. Curtis — (see Cable, Cecil), 28:1/2, p. 40

Fink, Dennis G. —Time Offset and Crossover Design (Eng. Rep.), 28:9, p. 601

Garde, Peter —All-Pass Crossover Systems, 28:9, p. 575

Geldhof, J. —(see Sansen, W.), 28:5, p. 320

Geluk, J. J. —Compatible Stereophonic Broadcasting Systems for Spatial Reproduction (Eng. Rep.), 28:3, p. 136

Greiner, R. A. —Amplifier–Loudspeaker Interfacing, 28:5, p. 310

Hilliard, John K. —(see Cable, Cecil R.), 28:5, p. 302

Hirsch, F., and S. F. Temmer —Correction to "A Real-Time Digital Processor for Disk Mastering Lathe Control" (Lett.), 28:9, p. 614

Hoffman, William R. —Comments on "Dipole Radiator Systems" (Lett.), 28:9, p. 612

Holman, Tomlinson —Phonograph Preamplifier Design Criteria: An Update (Eng. Rep.), 28:5, p. 325
——and Frank Kampmann—Correction to "Loudness Compensation: Use and Abuse" (Lett.), 28:5, p. 341

Jakubowski, H. —(see Plenge, G.), 28:3, p. 114

Jensen, Deane —JE-990 Discrete Operational Amplifier (Eng. Rep.), 28:1/2, p. 26

Johnson, George Philip —New Audio Transformations in Acoustical Transduction Based on Optical Principles (Comm.), 28:3, p. 140

Juhász, G. and E. Piret —Compatible Correcting-Matrix Quadraphonic Transmission System (Eng. Rep.), 28:9, p. 596

Kagawa, Y. —(see Morita, S.), 28:7/8, p. 482

Kampmann, Frank —(see Holman, Tomlinson), 28:5, p. 341

Kates, James M. —More on "Loudspeaker Cabinet Reflection Effects" (Lett.), 28:3, p. 150
——. Optimum Loudspeaker Directional Patterns, 28:11, p. 787

Kimura, Masami —(see Yamamoto, Takeo), 28:12, p. 868

Kubo, T. —(see Okada, K.), 28:6, p. 429

Kyono, N. —(see Morita, S.), 28:7/8, p. 482

Lagadec, Roger —Answers to Questionnaire on Profes-

sional Stationary-Head Recording User Requirements (Tech. Comm. Rep.), 28:9, p. 622

Lammasniemi, J. —(see Petri-Larmi, M.), 28:3, p. 98
——and Kari Nieminen—Distribution of the Phonograph Signal Rate of Change (Eng. Rep.), 28:5, p. 316

Leach, W. Marshall, Jr. —Loudspeaker Driver Phase Response: The Neglected Factor in Crossover Network Design, 28:6, p. 410
——. Comments on Acoustic Radiation of a Horn Loudspeaker by the Finite Element Method—A Consideration of the Acoustic Characteristic of Horns" (Lett.), 28:12, p. 900

Lipshitz, Stanley P. —(see Vanderkooy, John), 28:1/2, p. 2

Linkwitz, Siegfried —Shaped Tone-Burst Testing, 28:4, p. 250

Locanthi, Bart —Minutes of the Meeting of the Digital Audio Technical Committee, 1979 November 4 (Tech. Comm. Rep.), 28:4, p. 259
——. Minutes of the Meeting of the Digital Audio Technical Committee, 1980 May 4 (Tech. Comm. Rep.), 28:9, p. 615

Lyon, Richard H., and Richard G. Cann —Authors' Reply to Comments on "Acoustical Impulse Response of Interior Spaces" (Lett.), 28:11, p. 817

Matsuoka, Susumu —(see Akiya, Henry), 28:6, p. 422

Mayr, H. —Acoustical Communication Theory (Comm.), 28:5, p. 331
——. Author's Reply to Comments on "Acoustical Communication Theory" (Comm.), 28:5, p. 339

Melillo, L. — (see Bottenberg, W.), 28:1/2, p. 17

Mills, David R. —(see Bertram, H. Neal), 28:10, p. 690

Mitsuhashi, Yasuhiro —Digital-to-Analog Converter (Comm.), 28:7/8, p. 515
——. Waveshape Parameter Modulation in Producing Complex Audio Spectra (Eng. Rep.), 28:12, p. 879

Morgan, Nelson —Comments on "Human Stress Provoked by Digitalized Recordings" (Lett.), 28:9, p. 613

Morita, S., N. Kyono, S. Sakai, T. Yamabuchi, and Y. Kagawa —Acoustic Radiation of a Horn Loudspeaker by the Finite Element Method—A Consideration of the Acoustic Characteristic of Horns, 28:7/8, p. 482
——(see Suzuki, H.), 28:9, p. 570
——. Author's Reply to Comments on "Acoustic Radiation of a Horn Loudspeaker by the Finite Element Method—A Consideration of the Acoustic Characteristic of Horns" (Lett.), 28:12, p. 900

Murray, Fancher M., and Howard M. Durbin —Three-Dimensional Diaphragm Suspensions for Compression Drivers (Eng. Rep.), 28:10, p. 720

Naito, Michinori —(see Akiya, Henry), 28:6, p. 422

Nemo, Michael —Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.), 28:3, p. 150

Newman, R. J. —Dipole Radiator Systems (Eng. Rep.), 28:1/2, p. 35
——. Author's Reply to Comments on "Dipole Radiator Systems" (Lett.), 28:9, p. 612

Nieminen, Kari —(see Lammasniemi, Jorma), 28:5, p. 316

Nordholt, Ernst H. and Ronald M. van Vierzen —Ultra-Low-Noise Preamplifier for Moving-Coil Phono Cartridges, 28:4, p. 219

Okada, K., T. Kubo, W. Susaki, and T. Sato —A New PCM Audio Disk Pickup Employing a Laser Diode (Eng. Rep.), 28:6, p. 429

Olson, Harry F. —The Quest for Directional Microphones at RCA, 28:11, p. 776

Otala, M. —(see Petri-Larmi, M.), 28:3, p. 98

Peterson, Pam —History of Women in Audio (Feature), 28:11, p. 832

Petri-Larmi, M., M. Otala, and J. Lammasniemi —Psychoacoustic Detection Threshold of Transient Intermodulation Distortion, 28:3, p. 98

Piret, E. —(see Juhász, G.), 28:9, p. 596

Plenge, G., H. Jakubowski, and P. Schöne —Which Bandwidth is Necessary for Optimal Sound Transmission? 28:3, p. 114

Popescu, Dan —Sound Reinforcement Systems in Early Danish Churches, 28:10, p. 713

Raichel, Daniel R. —Recreational Noise Exposure—An Occupational Hazard for Audio Engineers (Eng. Rep.), 28:12, p. 896

Raj, K. —(see Bottenberg, W.), 28:1/2, p. 17

Redlich, Horst —(see Welland, Klaus), 28:7/8, p. 510

Rettinger, Michael —The Shape of Recording Studios to Come (Eng. Rep.), 28:4, p. 237

Rønning, Knut —(see Andersen, Richard), 28:4, p. 225

Sakai, S. —(see Morita, S.), 28:7/8, p. 482

Samson, Peter R. —A General-Purpose Digital Synthesizer, 28:3, p. 106

Sank, Jon R. —Improved Real-Ear Tests for Stereophones, 28:4, p. 206
——. Miniature Microphone Using an Integrated Piezoresistive Pressure Transducer (Eng. Rep.), 28:6, p. 433
——. Correction to "Miniature Microphone Using an Integrated Piezoresistive Pressure Transducer" (Lett.), 28:9, p. 614

Sansen, W., P. De Wit, and J. Geldhof —Dynamic-Range Limitations of Optical Couplers (Eng. Rep.), 28:5, p. 320

Sato, T. —(see Okada, K.), 28:6, p. 429

Schöenbrun, Josef —Comments on "Airborne Noise: A Personal Calculator Program for A-Weighted Sound-Pressure Level, Noise-Rating Evaluation, and Preferred Noise Criterion" (Lett.), 28:5, p. 341
——. Correction to "Comments on: Airborne Noise: A Personal Calculator Program for A-Weighted Sound-Pressure Level, Noise-Rating Evaluation, and Preferred Noise Criterion" (Lett.), 28:9, p. 613

Schöne, P. —(see Plenge, G.), 28:3, p. 114

Shindo, Takeo, Osamu Yashima, and Hideo Suzuki — Effect of Voice-Coil and Surround on Vibration and Sound Pressure Response of Loudspeaker Cones, 28:7/8, p. 490
——(see Suzuki, H.), 28:9, p. 570

Stafford, Michael K. —(see Bertram, H. Neal), 28:10, p. 690

Susaki, W. —(see Okada, K.), 28:6, p. 429

Suzuki, Hideo —(see Shindo, Takeo), 28:7/8, p. 490
——, S. Morita, and T. Shindo — On the Perception of Phase Distortion, 28:9, p. 570

Tanaka, Fujio — (see Yamamoto, Takeo), 28:12, p. 868

Taylor, Carson C. —Author's Reply to Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.), 28:3, p. 150
——. Author's Reply to Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.), 28:5, p. 340
——. Measurement of Spectral Content of Record Warps, 28:12, p. 859

Temmer, S. F. —(see Hirsch, F.), 28:9, p. 614

Tohma, Teruo — (see Yamamoto, Takeo), 28:12, p. 868

Torick, E. L. —(see Abbagnaro, L. A.), 28:6, p. 402

Treby, A. L. —(see Brown, J. C.), 28:3, p. 120

Tsukagoshi, Tsunehiro —(see Yamamoto, Takeo), 28:12, p. 868

Tüttemann, G. —(see Blauert, Jens), 28:10, p. 718

van der Gragt, Cornelius H. —Comments on "Practical and Aesthetic Microphone Techniques for Recording or Broadcasting Symphonic Music" (Lett.), 28:5, p. 340

Vanderkooy, John, and Stanley P. Lipshitz —Feed-forward Error Correction in Power Amplifiers, 28:1/2, p. 2

van Vierzen, Ronald M. —(see Nordholt, Ernst H.), 28:4, p. 219

von Recklinghausen, Daniel R. —Dynamic Equalization for Loudspeakers, 28:11, p. 770

Walker, P. J. —New Developments in Electrostatic Loudspeakers (Eng. Rep.), 28:11, p. 795

Welland, Klaus and Horst Redlich —The MD (Minidisk) System: A Contribution to the Digital Audio Disk Standard (Eng. Rep.), 28:7/8, p. 510

White, James V. —Comments on "Acoustical Communication Theory" (Comm.), 28:5, p. 336

Willis, D. L. —(see Brown, J. C.), 28:3, p. 120

Yamabuchi, T. —(see Morita, S.), 28:7/8, p. 482

Yamaguchi, Tetsuya —Answers to Questionnaire on Professional Stationary-Head Recording User Requirements (Tech. Comm. Rep.), 28:9, p. 624

Yamamoto, Takeo, Tsunehiro Tsukagoshi, Teruo Tohma, Masami Kimura, and Fujio Tanaka — High-Fidelity Loudspeakers with Boronized Titanium Diaphragms, 28:12, p. 868

Yamamoto, Tatsuo —Answers to Questionnaire on Professional Stationary-Head Recording User Requirements (Tech. Comm. Rep.), 28:9, p. 626

Yashima, Osamu —(see Shindo, Takeo), 28:7/8, p. 490